WÖHLER



CAMERA TROLLEY FOR OPTIMAL VIEW

Wohler VIS Camera Trolley

Flexibility in ductwork and pipes



Wohler VIS Camera Trolley

Positions the camera head perfectly in the pipe

A crisp image of every detail in the pipe: That is what perfect video inspection is all about. Wohler camera optics ensure crystal clear imagery. And the Wohler VIS Camera Trolley makes it possible to view every inch of the pipe or duct with ease. Clever details ensure it easily rounds every bend. No detail is overlooked during the inspection, because the camera head is always guided through the middle of the pipe.



The Wohler VIS Camera Trolley offers optimal guidance of the camera head in ventilation ducts, waster water pipes and flue gas lines from a size of 6" (circular & rectangular). The combination with the optional Wohler light ring and stabilization sleeve creates an even better illumination and increases handling in the pipe or duct. The best possible view in the pipe is guaranteed, because the Wohler camera trolley offers numerous adjustment options: The camera head is securely attached on the trolley or hangs protected below the trolley. That ensures the best possible clearance between the optics and the pipe walls.

Regardless of how the camera head is attached to the trolley, you always keep control and get the best possible insight.

- ▶ Solid and durable stainless steel body
- Operates in challenging conditions
- Works with any Wohler camera head
- Adjustable camera head angle for a perfect view

Premium flexibility

Technical Data	
Material of the trolley	Stainless steel
Material of the wheel	POM
Height (adjustable)	30"35"
Width (adjustable)	5"5.5"
Weight	1.5 lbs



Camera head fixture
Suitable for all Wohler camera

adjust the position of the camera heads (1" / 1.5") as well as a head. The camera head can variety of accessory parts such lay fixed on top of the trolley or as supplementary light ring and securely hang below the trolley.

Rugged body

Made of corrosion and acid resistant stainless steel, but weighs in at just 1.5 lbs.

Adjustable wheel height

The camera trolley can be adjusted in three heights with the aid of the adjustment rail.

Sturdy POM wheels

Ensure optimum movement in round and flat ducts.


Application examples

Lock rail



The lock rail allows the user to

Wohler miniature camera head 1" with supplementary light ring attached below the trolley.



Even in tilted position the camera head remains in operation.



Wohler pan- and tiltable camera head 1.5" with supplementary light ring and stabilization sleeve.

2 | www.wohlerusa.com | 3

© Wohler 03/2020 all rights reserved. Subject to changes, including of a technical nature. // #58455

Kits and accessories

Article description		P/N
Ω	Wohler VIS Camera Trolley for camera heads	4705
20	Scope of delivery: Wohler VIS Camera Trolley, storage bag	
Ω	Wohler VIS Camera Trolley Set for camera heads	4753
	Scope of delivery: Wohler VIS Camera Trolley, camerahead-holder, storage bag, stabilization sleeve for light ring (can only be used in combination with supplementary light ring)	
8	Wohler Light Ring 1" / 1.5" for camera heads 1" / 1.5"	8894
	light ring with 18 white LEDs, outer 2.1", detachable	
	Wohler Light Ring 1" / 1.5" HD for HD camera heads 1" / 1.5"	8818
	light ring with 18 white LEDs, outer 2.1", detachable	

